

---

## Standardised Report for Molecular Imaging Studies

### Clinical details

Indication:

*Other:*

Primary location:

*Other:*

Pathology:

Inherited/clinical syndrome:

*Other:*

Other relevant clinical information:

*Other:*

### Procedure

Radiopharmaceutical:

*Other:*

Administered activity: MBq

Uptake time: min h<sup>-1</sup>

Scan type:

*Region:*

Image range:

*Other:*

Interventions:

Other relevant procedural information:

*Abbreviations:* DOTA 1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic acid; MIBG, metaiodobenzylguanidine.

### Comparative imaging

CT:

Date:

MRI:

Date:

<sup>111</sup>In-pentetreotide:

Date:

SSTR (SSR) PET/CT:

Date:

FDG:

Date:

Other:

Date:

## Findings

Primary location:

*Other:*

Primary Avidity:

*Reference (spleen, liver):*

Primary size (cm):

Primary characteristics:

Nodes:

Nodal characteristics *(enter information on size and location):*

Metastases:

Metastases locations *(Please select as many as many as applicable):*

*Other:*

*Other:*

*Other:*

*Other:*

*Other:*

Metastases characteristics (e.g. size, number or heterogeneity/necrosis):

Metastases characteristics (overall lesion intensity, e.g. Krenning score):

## Reference Lesions

Region	Lesion descriptor (location)	Visual Avidity (e.g. Krenning Score)	Semiquantitative avidity (e.g. SUV <sub>max</sub> )	Tumor to spleen SUV <sub>max</sub> ratio	Somatostatin Receptor-FDG relationship	Size (uni- or bi-dimensional)
Head and neck						
Thorax						
Abdomen						
Pelvis						
Appendicular						

*Abbreviation:* SUV<sub>max</sub> maximum standard unit value.